



**ADDITIVES &
COLORS FOR THE
PLASTICS INDUSTRY**

OPP & CAST ADDITIVES PRODUCT RANGE





ANTIBLOCK

Product	Description	Details
AB1306CP	5% Synthetic silica	Designed for heat sealable BOPP film
AB1012CP	5% Organic anti-block	Non-migrating slip for the production of metallized BOPP films. Can also be used in combination with migrating slip agent ,for further reduction of COF
AB6996HP	5% Synthetic silica	Designed for plain BOPP film
AB6805HP	10% Synthetic silica	Designed for plain BOPP film
AB9086CP	Proprietary	Special inorganic additive for metallized BoPP and Cast film. Approved by EU and FDA

SLIP

Product	Description	Details
SL3271PP	3% Erucamide	Migrating Slip, designed for heat sealable and plain BOPP film

SLIP-ANTIBLOCK

Product	Description	Details
SB0371PP	Proprietary	Non-migrating hot slip agent for production of high-speed BOPP films, special synergistic formula

ANTISTATIC

Product	Description	Details
ST0245HP	Synergistic combination of antistatic agents	For short and long term activity, with good thermal stability and low haze. Suitable for CAST Film
ST1441HP	Synergistic combination of antistatic agents	For short and long term activity, with good thermal stability and low haze. Improved slip properties especially at elevated temperatures. Suitable for BOPP Film
ST2961HP	5% Active ingredients	For long term activity. Enhance the antistaic properties for BoPP films

SLIP-ANTISTATIC

Product	Description	Details
SS0106HP	15% Active ingredients	For plain and heat sealable BOPP films, very good thermal stability, stable and predictable COF, designed mainly for hot climate
SS3334HP	15% Active ingredients	For plain and heat sealable BOPP films, very good thermal stability, designed mainly for cold and moderate climate
SS1413HP	12% Active ingredients	For plain and heat sealable BOPP films, very good thermal stability, stable and predictable COF, designed mainly for moderate climate
SS7890PP	30% Active ingredients	For plain and heat sealable BOPP films, very good thermal stability, stable and predictable COF

MATT

Product	Description	Details
MT0523DP	Polymer mixture	Standard haze (70% haze) Medium SIT (110°C -115°C). MATT compound for BOPP applications, low die build-up for continuous processing
MT7828DP	Polymer mixture	Standard haze (70% haze) Medium SIT (110°C -115°C). MATT compound for BOPP applications, low die build-up for continuous processing
MT7500DP	Polymer mixture	High haze (>75% haze) High SIT (>120°C). MATT compound for BOPP applications, extra low die build-up for continuous processing
MT7829DP	Polymer Mixture	High haze (>75% haze) Low SIT (105°C -110°C) MATT compound for BOPP applications, low die build-up for continuous processing
MT7797DP	Polymer Mixture	High haze (>75% haze) very Low sealing (<100°C). MATT compound for BOPP applications, low die build-up for continuous processing

WHITE

Product	Description	Details
MP80699	60% TiO ₂	Standard white for PP films, suitable for metallization
MP80698	70% TiO ₂	Standard white for PP films, suitable for metallization
MP800347	70% White Pigment	White pigments blend for white cavitated BoPP films

PEARLIZED

Product	Description	Details
ZD1738HP	70% Active ingredi- ents	Medium particle size for production of low-density (0.55-0.6) cavitated film with 'pearl' effect.
ZD2446HP	70% Active ingredi- ents	Fine particle size for production of moderate density (~0.7) cavitated film with extra glossy, 'pearl' effect
ZD7478HP	70% Active ingredi- ents	Fine particle size for production of moderate density (~0.7) cavitat- ed film with extra glossy, 'pearl' effect, suitable for metallization
ZD3733HP	Organic pearlized	Mineral-free for the production of film with 'pearl' effect and special gloss

WHITE-PEARLIZED

Product	Description	Details
ZD1477HPW	40% Filler + 30% TiO ₂	Medium particle size for the production of white-cavitated film with 'pearl' effect
ZD3908HPW	40% Filler + 30% TiO ₂	Fine particle size for the production of white-cavitated film with 'pearl' effect and high gloss

ANTIFOG

Product	Description	Details
AF2327CP	Antifog for CPP sealing layers	Antifog additive for barrier multilayer films. Designed for CPP sealing layers. Europe and FDA approved
BR7783DP	Antifog Barrier	Highly efficient Antifog Barrier for BOPP, for refrigerated or heated food packaging

SPECIAL ADDITIVES

Product	Description	Details
IP2121HP	50% Hydrocar-bon-C5	Special additive designed to impart twist properties with high gas barrier in BOPP films
IP3579HP	60% Hydrocar-bon-C9	Special additive designed to impart twist properties with high gas barrier in BOPP films
MP72909	Gold	Colored additive designed to transform BOPP films into GOLD packaging films by standard metallization



PRODUCTION PLANTS

SALES OFFICES

JANUARY 2019

All statements, information and data given herein are believed to be accurate and reliable, but are presented without warranty, or responsibility of any kind, express or limited. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement, and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated, or that other measures may not be required. Specific recommendations and applications for specific products should be considered and pre-checked by the user to ensure compatibility with user's equipment and product requirements.